

DESIGN AND FABRICATION OF BLUETOOTH SOLAR GRASS TRIMMER

NUR ARISSA BINTI MOHD FADELAH

BACHELOR OF ENGINEERING
TECHNOLOGY (MANUFACTURING)
UNIVERSITI MALAYSIA PAHANG

DESIGN AND FABRICATION OF
BLUETOOTH SOLAR GRASS TRIMMER

NUR ARISSA BINTI MOHD FADELAH

Thesis submitted in fulfilment of the requirements
for the award of the degree of
Bachelor of Engineering Technology in Manufacturing with honours

Faculty of Engineering Technology
UNIVERSITI MALAYSIA PAHANG

JANUARY 2019

STATEMENT OF AWARD FOR DEGREE

1. Bachelor of Engineering Technology

Thesis submitted in fulfilment of the requirements for the award of the degree of Bachelor of Engineering Technology in Manufacturing with honours.

SUPERVISOR'S DECLARATION

We hereby declare that we have checked this thesis and in our opinion, this thesis is adequate in terms of scope and quality for the award of degree of Bachelor of Engineering Technology in Manufacturing.

Signature:

Name of Supervisor: DR. NADZIRAH BTE MOHD MOKHTAR

Position: SENIOR LECTURER, FACULTY OF ENGINEERING TECHNOLOGY,
UNIVERSITI MALAYSIA PAHANG

Date: JANUARY 2019

STUDENT'S DECLARATION

I hereby declare that the work in this thesis is my own except for quotations and summaries in which have been duly acknowledged. The thesis has not been accepted for any degree and is not concurrently submitted for award of other degree.

Signature:

Name: NUR ARISSA BINTI MOHD FADELAH

ID Number: TA 15011

Date: JANUARY 2019

ACKNOWLEDGEMENTS

Alhamdulillah, after the arduous journey, I can say that what Allah said in Al-Quran is true which “after the hardship comes ease”. To be honest, I am very grateful to ALLAH “S.W.T” for giving me patience, strength and assistance to complete our project work and thesis. I feel so relieved because I’m successfully complete my thesis. It will not be a success without His will.

I also would like to convey thanks to the Faculty of Engineering Technology (FTEK) for providing the laboratory facilities for this project research. I feel indebted to several individuals who contributed and help me out of difficulties in any ways to complete the project. I would like to express my sincere gratitude to my supervisor Dr. Nadzirah Bte Mohd Mokhtar and the co-supervisors, Mr. Mohd Azlan Bin Sayuti and Mr. Mohd Shamsulazmi Bin Samsudin for their guidance, support, advices and encouragement throughout my project work. My sincere appreciation extends to all of the group members, Siti Raudhah Binti Raduan and Amir Firdaus Bin Basirun for the co-operation, memories and the hard work that we face together until the project completed.

Lastly, unlimited thanks to my family members for their endless prayers, unconditional support, love, advice and trust during my study. The given encouragement from them made me strong to go through all the difficulties to complete my project and thesis. Not to forget to all my beloved friends whom together with me in the process of completing the project and thesis to earning a degree holder.

ABSTRACT

Gas powered lawn mower are one of devices that contribute to the pollution especially air pollution. If using electrical powered, for sure it consumes large amount of energy for the working to move the cutting blades and the wheels. For the solution to nowadays problem as the mowers use fuel which could pollute the environment and produce lousy noise, this project is implemented with the objective to design and fabricate a Bluetooth Solar Grass Trimmer that easy to handle. A solar powered grass trimmer controlled by Bluetooth device with a systematic photovoltaic (PV) solar system was built in together with the trimmer as the source to reduce the manpower and usage of electricity. The process start by identify the problems occurred in the community. Then, proceed with the design constructed by using NX10 and choosing the right material for the trimmer. The materials were assembles to build the trimmer and were test at the field. After done the assembly part and the program are successfully installed, Bluetooth Solar Grass Trimmer is able to move forward and reverse by using dc geared motors. After that, the battery needs to be recharge again to power up the Arduino and motor driver. The grass trimmer also can be control by using the RC Bluetooth Controller. The application can be downloaded in the android phone. It is easier as it can be control from afar and safe for the children. The idea of invented Bluetooth Solar Grass Trimmer now can be used in home lawn area as it is portable and can be operates without human energy.

ABSTRAK

Pemotong rumput berkuasa gas adalah salah satu alat yang menyumbang kepada pencemaran terutama pencemaran udara. Sekiranya menggunakan kuasa elektrik, sudah pasti ia menggunakan sejumlah besar tenaga untuk bekerja untuk memindahkan bilah memotong dan roda. Untuk penyelesaian masalah saat ini kerana pemotong rumput menggunakan bahan bakar yang dapat mencemarkan alam sekitar dan menghasilkan bunyi bising, projek ini dilaksanakan dengan tujuan untuk mereka dan membina mesin rumput Bluetooth berkuasa solar yang mudah diatasi. Mesin rumput berkuasa solar dikawal oleh peranti Bluetooth dengan sistem solar photovoltaic (PV) sistematik dibina bersama-sama dengan pemotong sebagai sumber untuk mengurangkan tenaga manusia dan penggunaan elektrik. Proses ini bermula dengan mengenal pasti masalah yang berlaku di dalam masyarakat. Kemudian, proses diteruskan dengan reka bentuk yang dibina menggunakan NX10 dan memilih bahan yang sesuai untuk pemotong. Bahan-bahan itu dipasang untuk membina pemotong dan diuji di lapangan. Setelah selesai pemasangan unit dan program ini berjaya dipasang, mesin rumput Bluetooth berkuasa solar dapat bergerak maju ke hadapan dan ke belakang dengan menggunakan gear motor dc. Selepas itu, bateri perlu dicas semula untuk menghidupkan Arduino dan pemandu motor. Pemotong rumput juga boleh dikawal dengan menggunakan Alat Kawalan Bluetooth RC. Aplikasi boleh dimuat turun di telefon android. Ia lebih mudah kerana ia boleh mengawal dari jauh dan selamat untuk kanak-kanak. Idea untuk mencipta mesin rumput Bluetooth berkuasa solar kini boleh digunakan di kawasan rumput rumah kerana ia mudah alih dan boleh beroperasi tanpa tenaga manusia.

TABLE OF CONTENTS

	Page
SUPERVISOR’S DECLARATION	v
STUDENT’S DECLARATION	vi
ACKNOWLEDGEMENTS	vii
ABSTRACT	viii
TRANSLATION OF ABSTRACT	ix
TABLE OF CONTENTS	x
LIST OF TABLES	xiii
LIST OF FIGURES	xiv
LIST OF SYMBOLS	xvi
LIST OF ABBREVIATIONS	xvii
CHAPTER 1: INTRODUCTION	1
1.1 Project background	1
1.2 Problem statement	3
1.3 Objectives	6
1.4 Scope of study	7
CHAPTER 2: LITERATURE REVIEW	8
2.1 Materials	8
2.1.1 Body deck	8
2.1.2 Wheels	9
2.1.3 Cutting head	9
2.2 Motor	11
2.2.1 Motor performance	11
2.2.2 Torque and RPM	11
2.2.3 Motor speed	12
2.2.4 Power	12
2.3 Battery	13
2.3.1 Battery charging system	14
2.4 Microcontroller	15
2.5 Solar system	16
2.6 Solar panel	18

2.6.1 Mono-crystalline silicon solar cell	18
2.6.2 Polycrystalline silicon solar cell	19
2.6.3 Thin film silicon solar cell	20
2.6.4 Solar efficiency	22
2.7 Bluetooth HC-05	23
CHAPTER 3: METHODOLOGY	24
3.1 Introduction to methodology	24
3.2 Whole process for Bluetooth solar grass trimmer	24
3.3 Identify problems	27
3.4 Design phase	27
3.5 Material selection	29
3.5.1 Dc geared motor	29
3.5.2 Cutting gear	29
3.5.3 Black and Decker CM100-B1 city mower	30
3.5.4 Dual line automatic feed spool	30
3.5.5 Solar panel	31
3.5.6 Aluminum plate	31
3.5.7 12V lead acid battery	31
3.5.8 Tires	32
3.5.9 Acrylic (Black)	32
3.5.10 8mm metal key hub	32
3.5.11 Electric controller box	33
3.5.12 Colour spray paint	33
3.6 Fabrication phase	34
3.7 Testing and commissioning	38
CHAPTER 4: RESULT AND DISCUSSION	39
4.1 Outcome of fabrication process	39
4.2 Application control	41
4.3 PWM overcharge and discharge protection	43
4.3.1 Overcharge protection	43
4.3.2 Deep discharge protection	43
4.4 Battery state of charge	44
4.5 PV module analysis	45

4.6 Battery charging profile at constant average irradiance	46
4.7 Ethical considerations	48
4.8 Time management	49
4.8.1 Gantt chart	49
4.8.2 Milestones for SDP2	49
4.9 Cost analysis	50
CHAPTER 5: CONCLUSION AND RECOMMENDATION	51
5.1 Conclusion	51
5.2 Recommendation	52
REFERENCES	53
APPENDIX	55

LIST OF TABLES

Table No	Title	Page
4.1	Project timeline senior design project 2	43
4.2	Budget and cost analysis	45

LIST OF FIGURES

Figure No	Title	Page
1.1	Design Bluetooth Solar Grass Trimmer	2
1.2	Manual grass cutter	4
1.3	Semi automatic grass cutter	5
1.4	Bluetooth Solar Grass Trimmer	5
2.1	Different diameter of grass mower wheels	9
2.2	Aluminium cutting head	10
2.3	Cutting blades and nylon cable ties	10
2.4	Plastic cutting head	10
2.5	BLDC 4244	11
2.6	Charges stages for lead acid batteries	15
2.7	Arduino Uno board	16
2.8	The solar cell structure	17
2.9	Operation of solar cells	18
2.10	Composition of A-Si thin film	20
2.11	Composition of Cadmium telluride (CdTe) thin film	20
2.12	Composition of CIS/CIGS thin film	21
2.13	Bluetooth HC-05	23
3.1	Overall process of fabrication	25
3.2	Project process flowchart	26
3.3	Bluetooth Solar Grass Trimmer in SDP 1	28
3.4	Solar charger port	28
3.5	Latest design of Bluetooth Solar Grass Trimmer	28
3.6	12V 430 Rpm planetary DC geared motor with encoder	29
3.7	550W cutting gear	29
3.8	Black and Decker CM100-B1 City Mower	30
3.9	Dual line automatic feed spool	30
3.10	Solar panel	31
3.11	Aluminum plate	31
3.12	12V lead acid battery	31
3.13	Tires	32

3.14	Black acrylic	32
3.15	Metal key hubs	32
3.16	Electric controller boxes	33
3.17	Black colour spray paint	33
3.18	Trimmer's original body	34
3.19	Aluminum plate attached on trimmer's body	35
3.20	Gears inside trimmer's body	35
3.21	5 inch tire with 8mm coupling hub	36
3.22	Tires attached to body	36
3.23	Two electrical controller boxes attached on trimmer's body	37
3.24	Two black colour stand	37
3.25	The back and sides black acrylic cover	38
4.1	Isometric view of Bluetooth Solar Grass Trimmer	39
4.2	Rear view	39
4.3	Underneath view	40
4.4	Application software	40
4.5	Setting menu	41
4.6	Scan for device	41
4.7	State of charge against battery voltage	44
4.8	Power input against voltage	45
4.9	Battery charging profile	46

LIST OF SYMBOLS

cm	Centimeter
V	Voltage
m	Meter
mm	Millimeter
min	Minute
Ah	Ampere hour
Amp	Ampere
Rpm	Revolutions per minute
S	Second
W	Watt
Nm	Newton meter
Kg	Kilogram

LIST OF ABBREVIATION

SDP	Senior design project
PV	Photovoltaic
DC	Direct current
AC	Alternating current
RPM	Revolution per minute
EMF	Electromotive force
SLA	Sealed lead acid
AGM	Absorbent glass mat

1.0 INTRODUCTION

1.1 PROJECT BACKGROUND

In the time where technology is merging with environmental awareness consumers are looking for ways to contribute to the environment by using devices with eco-friendly technology to decrease the pollution and protect the nature. Pollution is manmade and might be seen in our own daily lives, a lot of specifically in our own homes. Mostly, gas powered lawn mower are one of devices that contribute to the pollution especially air pollution. If using electrical powered, for sure it consumes large amount of energy for the working to move the cutting blades and the wheels. Nowadays, all the creation and new devices going under automation so our team tried to reduce the human effort for the trimming job.

The design objective is to come up with a grass trimmer that is portable, durable, easy to operate and maintain. It also aims to design a self-powered trimmer of electrical source which is a cordless electric grass trimmer. The heart of the machine is a battery-powered BLDC electric motor. The use of cable tie as blade makes the design unique such that less energy is needed for the motor to spin the blade. Thus, the machine is considered highly efficient as it uses no human effort and is readily adaptable to cutting conditions.

Our team would create solar grass trimmer which is efficient, less noisy and portable. The basic idea is that the grass trimmer is made with electric motor that runs from a 12-volt battery. This battery will be charged using solar panel of 30W on the grass cutter. This grass trimmer uses a solar based energy source which is easier to use, more advantageous comparing to other energy source. This grass trimmer is based on solar because this energy is a renewable energy source and it is easy to work. So this solar powered grass trimmer is build with the advantages as it is safe to use, efficient and environmentally friendly and for sure it saves on labor costs.





Figure 1.1 Design of Bluetooth Solar Grass Trimmer

1.2 PROBLEM STATEMENT

Nowadays, most of the activities which included human efforts are either replaced or automated by the use of machines or other kinds of equipment. The present technology commonly used for cutting the grass is by using the manually handle device which inconvenience due to heavy machines to carry and required human effort for proper handle. Solar grass trimmer is one the machines for public appliance provided to reduce human effort for mowing job. It uses blade to cut the grass, there are many grass cutting machine was built and introduced by industry, in this case to use and choosing the right power supply before implementing this project, there are various of battery that exist and we need to choose the most suitable type of source in order to complete the project based on the idea of portable and Bluetooth grass cutter. In order to build our own project, it still uses the same technology in term of power supply but need to decide the most suitable that can be used, it is the same in choosing the type of solar panel that will be used as this project is using a sustainable energy which is solar power. There are few problem statements for this project:

- i. The usage of fuel grass cutter can caused pollution.
- ii. It is noisy to use a grass cutter by a fuel usage.

In the time where technology is merging with environmental awareness, consumers are looking for ways to contribute for reducing the cause of pollution. By switching to modern technology from traditionally aspect, the implementation of solar trimmer devices is more environmental friendly compared to old cutting devices which can contributes to air pollution due to the internal combustion of engine. Therefore, solar grass trimmer devices are more preferable where the energy can be supplied from sunlight that absorbed by the solar panel to generate electricity.

Besides, the traditional lawn mower will consume engine oil in their fuel combustion to generate energy which generally creates byproducts and harmful pollutants. Thus, the energy efficiency can be achieved with the help of motor by using the solar energy. The grass trimmer devices is solar powered which the battery can be charge manually from main supply Hence, the energy consumption can be reduced and

REFERENCE

- Abu Eldahab, Y. E., Saad, N. H., & Zekry, A. 2016. Enhancing the design of battery charging controllers for photovoltaic systems. *Renewable and Sustainable Energy Reviews*, **58**(May), 646–655. <https://doi.org/10.1016/j.rser.2015.12.061>
- Armstrong, S., Glavin, M. E., & Hurley, W. G. 2008. Comparison of Battery Charging Algorithms for Stand Alone Photovoltaic Systems, (February 2014). <https://doi.org/10.1109/PESC.2008.4592143>
- Andure MW, J. S. 2012. Advance automobile material for light weight future-a review. *In IJCA Proceedings on International Conference on Benchmarks in Engineering Science and Technology* , 15-22.
- Arunesh, S., Arunesh, S., V, R., & N, N. 2016. Design and Implementation of Automatic Lawn Cutter. *International Journal of Science Technology & Engineering* , **2** (11), 202-207.
- B., N. R., & B., Y. K. 2017. Fabrication Of Multi Purpose Robot For Grass Cutting And Floor Cleaing With Wire Less Communication. *International Journal of Advance Engineering and Research* , **4** (12), 104-108.
- Babatunde, O. A., Shitta, M. B., & Adegbenro, O. 2014. Performance Simulation Of Photovoltaic System Battery, **4**(9), 146–153.
- Chowdhury, S., Chowdhury, S. P., Taylor, G. A., & Song, Y. H. 2008. Mathematical modelling and performance evaluation of a stand-alone polycrystalline PV plant with MPPT facility. *IEEE Power and Energy Society 2008 General Meeting: Conversion and Delivery of Electrical Energy in the 21st Century, PES*, (August). <https://doi.org/10.1109/PES.2008.4596376>
- Davis, G. 2018. Industrial Revolution 4.0 | Technology | Manufacturing Global. Retrieved December 29, 2018, from <https://www.manufacturingglobal.com/technology/industrial-revolution-40>
- Dunlop, J. P. (n.d.). Batteries and Charge Control in Stand-Alone Photovoltaic Systems Batteries and Charge Control in Stand-Alone Photovoltaic Systems Fundamentals and Application.
- Deo, A., Kumar, A., Shrivastava, A., Tiwari, A., & Sharma, N. 2017. Fully Automated Solar Grass Cutter. *International Journal for Scientific Research & Development* , **5** (1), 519-520.

- Gabler, H., & Sauer, D. U. 1995. A Systematic Effort to Define Evaluation and Performance Parameters and Criteria for Lead-acid Batteries in PV Systems A Systematic Effort to Define Evaluation and Performance Parameters and Criteria for Lead-acid Batteries in PV Systems w ., (October).
- ITACA. (n.d.). A Guide To Lead-Acid Batteries, (Iv). Retrieved from <http://www.itacanet.org/eng/elec/battery/battery.pdf>
- Koutroulis, E., & Kalaitzakis, K. (n.d.). Novel battery charging regulation system for photovoltaic applications, 191–197. <https://doi.org/10.1049/ip-epa>
- Krzysztof, W. 2015. The influence of the cutting attachment on vibrations emitted by brush cutters and grass trimmers. *Forest Research Papers* , **76** (4).
- Kumar, S., Sharma, A., Sharma, R., & Kesarwani, S. 2018. A Review Paper on Grass Cutter Device Using Bluetooth. *Journal of Electronics and Electromagnetic Technology* , **1** (1), 1-8.
- Lokeshreddy, M., Kumar, P. J. R. P., Chandra, S. A. M., Babu, T. S., & Rajasekar, N. 2017. Comparative study on charge controller techniques for solar PV system. *Energy Procedia*, **117**, 1070–1077. <https://doi.org/10.1016/j.egypro.2017.05.230>
- Nagarajan N, S. N. 2017. Design and Fabrication of Lawn Mower. *Asian Journal of Applied Science and Technology (AJAST)* , **1** (4), 50-54.
- P.Manimekalai, R.Harikumar, & S.Raghavan. 2013. An Overview of Batteries for Photovoltaic (PV) Systems. *International Journal of Computer Applications* , **82** (12), 28-32.